

# EG-Safety Data Sheet

## WZ8

### Safety data sheet according to 2001/58/EG

Valid from: 01.12.2002

Substitute for version of: 01.09.1995

#### 1. Description of substances, preparation and company

**Company:** Alexander BINZEL Schweißtechnik  
GmbH & Co. KG  
Postfach 10 01 53  
D-35331 Gießen  
Tel.: ++ 49 (0) 64 08/59-0  
Fax.: ++ 49 (0) 64 08/5 91 91  
Internet: www.binzel-abicor.com

**Product identification:** WZ8  
**Colour marking:** white  
**Product application:** Tungsten electrode for TIG welding

#### 2. Information on components

**Chemical characteristics:**  
Tungsten W with 0,7 – 0,9% Zirconium oxide (ZrO<sub>2</sub>)

**Hazardous substances:**  
N/A

#### 3. Potential dangers

N/A

Other dangers depending on welding process.

#### 4. First aid measures

**after inhalation:** In case of prolonged inhalation of welding fume the persons concerned have to be supplied with fresh air. If irritation persists contact a doctor.

**after contact with the skin:** N/A

**after contact with the eyes:** Rinse eyes thoroughly and contact a doctor

**after swallowing:** Contact a doctor immediately

# EG-Safety Data Sheet

## WZ8

### 5. Measures necessary in the case of fire

N/A

### 6. Measures necessary in the case of accidental emissions

N/A

### 7. Handling and storage

**Handling:** During TIG-welding, adequate ventilation and air circulation must be provided together with an exhausting device to absorb welding fume.

**Storage:** store in a dry place

### 8. Limitation of exposure and personal protective equipment

**Exposure limits:** N/A

**Personal protective equipment:**

**Respiratory protection:** not necessary when adequate ventilation is provided.

**Hand protection:** Welding gloves

**Eye protection:** Welding glasses or welding shield

### 9. Physical and chemical properties

**Form:** bar shaped

**Colour:** metallic grey

**Smell:** scentless

**Evaporating point:** approx. 5.900°C

**Melting point:** approx. 3.400°C

**Flash point:** N/A

**Inflammability:** N/A

**Ignition temperature:** N/A

**Explosion limits:** none

**Fire supporting characteristics:** none

**Steam pressure:** N/A

**Density:** WZ8: 18,82 - 18,97 g/cm<sup>3</sup>

**Solubility in water:** non soluble

**Miscellaneous:** none

# EG-Safety Data Sheet

## WZ8

### 10. *Stability and reactivity*

**Conditions to avoid:**

N/A

**Substances to avoid:**

N/A

**Dangerous decomposition products:**

N/A

### 11. *Information on toxicology*

N/A

### 12. *Environmental information*

N/A

### 13. *Instructions for disposal*

N/A

### 14. *Transport regulations*

N/A

### 15. *Regulations*

Regulations only applicable and valid for TIG welding procedure

### 16. *Miscellaneous*

All information is based on current state of knowledge; this information does not represent any guarantee of product properties and does not constitute any contractual legal obligation.

Products may only be used as mentioned. If the products are used improperly risks which are not described in the safety data sheet are possible.

Information is provided here in a way which is best understood and acted upon by qualified personnel.

According to the definitions found in EN-60204-1:

Qualified personnel are persons who, based on their special training, knowledge, experience, and due to their knowledge of the relevant standards, are able to assess the tasks assigned to them and identify possible dangers.